



Medical Math



| | | | |
|-------------------------------|--|-------------------------|---|
| Date | February 13, 2026 | Orientation Time | 10:45 A.M |
| Location | Apollo Career Center 3325 Shawnee Rd. Lima, OH 45806 | Contest Time | Immediately following orientation (CLOSED contest) |
| Scope of Contest | <p>Competitors will demonstrate their ability to solve math problems that deal with the following areas:</p> <ul style="list-style-type: none">○ Measurements including vital signs, temperature conversions, and height and weight.○ Metric and household measurements○ Conversions○ Ratio and proportion○ Percentage○ Intake and output○ Roman numerals○ Dosage calculations <ul style="list-style-type: none">• The test will comprise 100 or more problems that will evaluate competitors on their problem-solving skills as well as their mathematical ability.• The competitors will have two and a half hours (150 minutes) to complete the test. No bonus points will be given for early completion of the test, and no competitor will be allowed to go in or out of the testing site during the testing.• All the items listed in the appendix on the bottom of this page are suggested references. The test items are not limited to this material. This is just a basic reference of things that may be required knowledge for the competition. They are to be used as a reference <i>prior to the competition</i>, but are NOT allowed in the competition area. | | |
| Testing | Yes | | |
| Eligibility | 3 competitors per building IRN (chapter) | | |
| Clothing | Clothing Classification Guide - CLASS A, B, or F | | |
| Provided by Contestant | <p>Professional Resumé – Typed Hardcopy</p> <p>Emergency Medical Form (Contestants must have this to compete)</p> <p>No. 2 pencils and eraser</p> <p>Basic hand-held calculator (no graphing or scientific calculators); with fraction keys will be permitted</p> <ul style="list-style-type: none">• <u>The following WILL NOT be tolerated and are grounds for disqualification from the competition:</u><ul style="list-style-type: none">○ No smart watches, cellphones and/or other electronic devices in the contest area unless specifically stated in this document. These devices cannot be used as a calculator.○ No contact with anyone outside of the contest area once the contest begins.○ No inappropriate communication between contestants such as verbally degrading another contestant or informing another contestant of the skills/test prior to or during the competition. | | |

| | <ul style="list-style-type: none"> o No cheating on any portion of the contest. o The use of AI is strictly prohibited and will result in an automatic disqualification of the contestant. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|------|--------------|------------|----|------------|----|-------|---|-----------|----|------|----|------|---|-----------|----|-----------|-----|----------|----|-------|----|-------|----|--------------------|----|------------------------------|----|------------------|----|------------|----------|-------|---|------|---|------|----|-------|----|--------|-----|------------|------|----------|-----|---------------|-------------|-------|-------|------|----|-----------------|-----|-------|----|-------------|----|--------|-----|---------|-----|------------|------|-------------------|-------|
| Contest Skilled Performance Standards | <p>The test questions will be taken from problems encountered in the medical field and are selected from the area that might be used in real world applications</p> <p>MM 1.0 — Demonstrate medical mathematical skills using planning and decision-making.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Appendix | <table border="1"> <thead> <tr> <th>Term</th><th>Abbreviation</th></tr> </thead> <tbody> <tr><td>millimeter</td><td>mm</td></tr> <tr><td>centimeter</td><td>cm</td></tr> <tr><td>meter</td><td>m</td></tr> <tr><td>foot/feet</td><td>ft</td></tr> <tr><td>inch</td><td>in</td></tr> <tr><td>gram</td><td>G</td></tr> <tr><td>milligram</td><td>mg</td></tr> <tr><td>microgram</td><td>mcg</td></tr> <tr><td>kilogram</td><td>kg</td></tr> <tr><td>pound</td><td>lb</td></tr> <tr><td>ounce</td><td>oz</td></tr> <tr><td>degrees Fahrenheit</td><td>°F</td></tr> <tr><td>degrees Celsius (Centigrade)</td><td>°C</td></tr> <tr><td>cubic centimeter</td><td>cc</td></tr> <tr><td>milliliter</td><td>ml or mL</td></tr> <tr><td>liter</td><td>L</td></tr> <tr><td>unit</td><td>U</td></tr> <tr><td>pint</td><td>pt</td></tr> <tr><td>quart</td><td>qt</td></tr> <tr><td>gallon</td><td>gal</td></tr> <tr><td>tablespoon</td><td>tbsp</td></tr> <tr><td>teaspoon</td><td>tsp</td></tr> <tr><td>drop or drops</td><td>gtt or gtts</td></tr> <tr><td>minim</td><td>minim</td></tr> <tr><td>dram</td><td>dr</td></tr> <tr><td>milliequivalent</td><td>mEq</td></tr> <tr><td>grain</td><td>gr</td></tr> <tr><td>intravenous</td><td>IV</td></tr> <tr><td>tablet</td><td>tab</td></tr> <tr><td>capsule</td><td>cap</td></tr> <tr><td>suspension</td><td>susp</td></tr> <tr><td>intake and output</td><td>I & O</td></tr> </tbody> </table> <p>CONVERSION CHART Length</p> | Term | Abbreviation | millimeter | mm | centimeter | cm | meter | m | foot/feet | ft | inch | in | gram | G | milligram | mg | microgram | mcg | kilogram | kg | pound | lb | ounce | oz | degrees Fahrenheit | °F | degrees Celsius (Centigrade) | °C | cubic centimeter | cc | milliliter | ml or mL | liter | L | unit | U | pint | pt | quart | qt | gallon | gal | tablespoon | tbsp | teaspoon | tsp | drop or drops | gtt or gtts | minim | minim | dram | dr | milliequivalent | mEq | grain | gr | intravenous | IV | tablet | tab | capsule | cap | suspension | susp | intake and output | I & O |
| Term | Abbreviation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| millimeter | mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| centimeter | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| meter | m | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| foot/feet | ft | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| inch | in | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gram | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| milligram | mg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| microgram | mcg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| kilogram | kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| pound | lb | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ounce | oz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| degrees Fahrenheit | °F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| degrees Celsius (Centigrade) | °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| cubic centimeter | cc | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| milliliter | ml or mL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| liter | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| unit | U | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| pint | pt | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| quart | qt | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gallon | gal | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| tablespoon | tbsp | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| teaspoon | tsp | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| drop or drops | gtt or gtts | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| minim | minim | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| dram | dr | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| milliequivalent | mEq | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| grain | gr | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| intravenous | IV | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| tablet | tab | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| capsule | cap | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| suspension | susp | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| intake and output | I & O | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

1 meter = 100 centimeters = 1,000 millimeters

10 millimeters = 1 centimeter

Weight

1 gram = 1,000 milligrams

1 milligram = 1,000 micrograms

1 kilogram = 1,000 grams

1 grain = 60 milligrams

Volume for Solids

1,000 cubic millimeters = 1 cubic centimeter

1,000 cubic centimeters = 1 cubic decimeter

1,000 cubic decimeters = 1 cubic meter

Volume for Fluids

1 liter = 1,000 milliliters

1 milliliter = 1 cubic centimeter

10 centiliters = 1 deciliter

10 deciliters = 1 liter

Weight Conversion

1 kilogram = 2.2 pounds

1 pound = 16 ounces

1 ounce = 0.028 kilograms

Temperature Conversion

° C = (°F-32) 5/9 or 0.5556

° F = (°C) 9/5 or 1.8 + 32

Metric/Household Equivalents

(Note: 1 cc = 1 mL)

| | |
|------------------|---------------------------|
| 1 cc or 1 mL | 15 gtts (drops) |
| 0.914 meters | 3 feet (1 yard) |
| 0.3048 meters | 12 inches (1 foot) |
| 2.54 centimeters | 1 inch |
| 5 mL or cc | 1 tsp (teaspoon) |
| 15 mL or cc | 1 tbsp (tablespoon) |
| 30 mL or cc | 1 oz. (ounce) |
| 240 mL or cc | 1 cup (8 oz.) |
| 480 mL or cc | 1 pt (pint) (16 ounces) |
| 960 mL or cc | 1 qt (quart) (32 ounces) |
| 1 meter | 39.37 inches (3.281 feet) |